

PHOTOMETRIC TESTING & EVALUATION TO IES LM-79-08

Sample Tested
Zero L

Prepared for:


Bruce Clark


3form
4770 Ohio Ave S. SuiteA
Seattle, WA 98134

Phone: 206-890-0995

Technical Report Number
2686504-03

December 16, 2013

Prepared by: 
James E. Berkeley, Program Manager

Approved by: 
Wensheng Xu, Technical Advisor

Program Description

Photometric and electrical testing of a “Zero L” replacement Lamp to IES LM-79-08.

Executive Summary

Sample Tested = **Zero L**
Mfg’r: **Lightart**

| Luminous Efficacy* (Lumens/Watt) | Luminous Flux* (Lumens) | Input Power* (Watts) | Power Factor* |
|---|--|---------------------------------------|----------------------|
| 81.47 | 3143 | 38.58 | 0.981 |

| CCT (K)* | CRI* | Stabilization Time (Light & Power) |
|-----------------|-------------|---|
| 2957 | 83.4 | 60 minutes |

* The above results are recorded / derived from measurements made using an Integrating Sphere


TABLE OF CONTENTS

| | |
|--|----|
| Sample..... | 4 |
| Test Results | 5 |
| Spectral Flux | 6 |
| Chromaticity Diagram | 7 |
| Flux Distribution – Zonal Lumen Summary..... | 8 |
| Illuminance Plots | 9 |
| Candela Plots | 10 |
| Candela Tabulation | 11 |
| Photometric Testing Information | 13 |
| Equipment List:..... | 15 |

Sample

The following sample was submitted for evaluation:

3form: Zero L




Zero L

| Test Results – | | | | | | | | |
|---|--------------------------------------|------|------|------|-----------------|------|----|--|
| The following results were measured after stabilization of the sample in the Integrating Sphere (unless otherwise stated). Stability is reached when the variation of 3 readings of light output and electrical power, taken 15 minutes apart, is less than 0.50% (in accordance with IES LM-79-08). | | | | | | | | |
| Key Photometric Results | Sample Reference | | | | | | | |
| | Zero L | | | | | | | |
| | Integrating Sphere | | | | Goniophotometer | | | |
| Luminous Efficacy (Lumens/Watt) | 81.47 | | | | 77.59 | | | |
| Total Luminous Flux (Lumens) | 3143 | | | | 3014.47 | | | |
| Total Radiant Flux (Watts) | 10.20 | | | | | | | |
| Correlated Color Temperature (CCT) | 2957 | | | | | | | |
| Color Rendering Index (CRI) (Ra) | 83.4 | | | | | | | |
| R1 thru R7 Value | 81.6 | 90.3 | 96.6 | 80.1 | 80.6 | 86.5 | 86 | |
| R8 thru R14 Value | 65.6 | 22.2 | 76.8 | 77.3 | 64.9 | 83.4 | 98 | |
| Chromaticity (Chroma x / Chroma y) | 0.4405 / 0.4064 | | | | | | | |
| Chromaticity (Chroma u / Chroma v) | 0.2519 / 0.3485 | | | | | | | |
| Chromaticity (Chroma u' / Chroma v') | 0.2519 / 0.5228 | | | | | | | |
| D _{uv} Value | 0.00042 | | | | | | | |
| Stabilization Time (Light and Power) | Approx. 60 minutes | | | | | | | |
| Total Run Time – Integrating Sphere | 64 minutes | | | | | | | |
| Total Run Time – Goniophotometer | 47 minutes | | | | | | | |
| Spacing Criteria | 1.24 (0° – 180°) / 1.26 (90° – 270°) | | | | | | | |
| Scotopic/Photopic ratio $\Phi(v')/\Phi(v)$ | 1.308 | | | | | | | |
| Electrical Input Results: | Sample Reference | | | | | | | |
| | Zero L | | | | | | | |
| | Integrating Sphere | | | | Goniophotometer | | | |
| Input Power (Watts) | 38.58 | | | | 38.85 | | | |
| Input Voltage (Volts AC) | 120.0 | | | | 120.19 | | | |
| Input Current (Amps) | 0.33 | | | | 0.33 | | | |
| Input Frequency (Hertz) | 60.0 | | | | 60.0 | | | |
| Power Factor | 0.981 | | | | 0.981 | | | |
| Total Harmonic Distortion (%THD V/A) | 0.08 / 7.99 | | | | | | | |
| Additional Information | Sample Reference | | | | | | | |
| | Zero L | | | | | | | |
| Ambient Temperature | 24.2°C | | | | | | | |
| Integrating Sphere Detector | CDS 600 Spectroradiometer | | | | | | | |
| Absorption Correction used? | Yes | | | | | | | |

Spectral Flux


The following graph shows the spectral response curve of the radiant flux for the sample:



Spectral response of the Radiant Flux
(350nm to 850nm – calibrated range of the Spectroradiometer).

Chromaticity Diagram

The following image shows the chromaticity diagram for the sample:



Tristimulus values (from page 6):
x / y = 0.4405 / 0.4064

The locations on the diagram of the tristimulus coordinates are indicated by the blue diamond.


Test Results – Flux Distribution – Zonal Lumen Summary

The following table depicts the zonal lumen distribution for the sample:


| Zone | Lumens | % Total |
|----------------|----------------------|----------------|
| 0 - 10 | 80.5 | 2.70% |
| 10 - 20 | 230.5 | 7.60% |
| 20 - 30 | 349.2 | 11.60% |
| 30 - 40 | 421.2 | 14.00% |
| 40 - 50 | 439.1 | 14.60% |
| 50 - 60 | 402.4 | 13.40% |
| 60 - 70 | 319.6 | 10.60% |
| 70 - 80 | 203.2 | 6.70% |
| 80 - 90 | 72.2 | 2.40% |
| 90-100 | 34 | 1.10% |
| 100-110 | 65 | 2.20% |
| 110-120 | 79.8 | 2.60% |
| 120-130 | 82.3 | 2.70% |
| 130-140 | 78 | 2.60% |
| 140-150 | 64.4 | 2.10% |
| 150-160 | 49.8 | 1.70% |
| 160-170 | 32.7 | 1.10% |
| 170-180 | 10.5 | 0.30% |
| Total | 3014.5 LUMENS | |
| | | |
| | | |
| | | |
| Zone | | |
| 0-60 | 1,922.90 | 63.80% |
| 60-90 | 594.9 | 19.70% |
| 0-90 | 2,517.90 | 83.50% |
| 90-180 | 496.6 | 16.50% |
| 0-180 | 3,014.50 | 100% |

Test Results – Illuminance Plots


The following images depict the illuminance characteristics of the luminaire.



Beam Angle




Field Angle




Illuminance Plot (Footcandles)

Test Results – Candela Plots

The following images depict the luminous intensity distribution characteristics of the luminaire.



Isocandela Plot



Polar Candela Distribution

Coefficients Of Utilization - Zonal Cavity Method

| | | Effective Floor Cavity Reflectance: 20% | | | | | | | | | | | | | | | | | | | | |
|--------|--|---|------|------|------|------|------|------|-----|------|------|------|-----|-----|-----|-----|-----|-----|-----|--|--|---|
| RCC %: | | 80 | | | | 70 | | | | 50 | | | | 30 | | | | 10 | | | | 0 |
| RW %: | | 70 | 50 | 30 | 0 | 70 | 50 | 30 | 0 | 50 | 30 | 20 | 50 | 30 | 20 | 50 | 30 | 20 | 0 | | | |
| RCR: 0 | | 1.15 | 1.15 | 1.15 | 1.15 | 1.11 | 1.11 | 1.11 | .84 | 1.02 | 1.02 | 1.02 | .94 | .94 | .94 | .87 | .87 | .87 | .84 | | | |
| 1 | | 1.05 | 1.00 | .95 | .91 | 1.00 | .96 | .92 | .70 | .89 | .85 | .83 | .82 | .79 | .77 | .76 | .74 | .72 | .69 | | | |
| 2 | | .95 | .86 | .80 | .74 | .91 | .83 | .77 | .58 | .77 | .72 | .68 | .71 | .67 | .64 | .66 | .63 | .60 | .57 | | | |
| 3 | | .86 | .76 | .68 | .61 | .82 | .73 | .65 | .49 | .68 | .61 | .56 | .63 | .58 | .53 | .58 | .54 | .50 | .48 | | | |
| 4 | | .79 | .67 | .58 | .51 | .75 | .64 | .56 | .42 | .60 | .53 | .48 | .56 | .50 | .45 | .52 | .47 | .43 | .40 | | | |
| 5 | | .72 | .60 | .51 | .44 | .69 | .58 | .49 | .36 | .54 | .47 | .41 | .50 | .44 | .39 | .46 | .41 | .37 | .35 | | | |
| 6 | | .67 | .54 | .45 | .38 | .64 | .52 | .43 | .32 | .48 | .41 | .36 | .45 | .39 | .34 | .42 | .37 | .33 | .30 | | | |
| 7 | | .62 | .48 | .40 | .34 | .59 | .47 | .39 | .28 | .44 | .37 | .32 | .41 | .35 | .30 | .38 | .33 | .29 | .27 | | | |
| 8 | | .57 | .44 | .36 | .30 | .55 | .43 | .35 | .25 | .40 | .33 | .28 | .38 | .31 | .27 | .35 | .30 | .26 | .24 | | | |
| 9 | | .54 | .40 | .32 | .27 | .51 | .39 | .32 | .23 | .37 | .30 | .25 | .35 | .29 | .24 | .32 | .27 | .23 | .21 | | | |
| 10 | | .50 | .37 | .29 | .24 | .48 | .36 | .29 | .21 | .34 | .27 | .23 | .32 | .26 | .22 | .30 | .25 | .21 | .19 | | | |

Test Results – Candela Tabulation

The following table provides the tabulated Candela measurements:

Candela Table - Type C

| | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | 360 | |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 0 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 |
| 2.5 | 850 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 850 | 850 | 850 | 850 | 851 | 852 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 851 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 |
| 5 | 846 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 846 | 846 | 846 | 847 | 847 | 847 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 848 | 848 | 848 | 848 | 848 | 847 | 848 | 848 | 847 | 847 | 848 | 846 |
| 7.5 | 841 | 839 | 840 | 839 | 839 | 839 | 839 | 839 | 839 | 840 | 840 | 840 | 841 | 841 | 841 | 842 | 843 | 846 | 846 | 846 | 846 | 846 | 846 | 846 | 846 | 845 | 845 | 845 | 844 | 844 | 844 | 843 | 843 | 843 | 843 | 843 | 843 | 841 |
| 10 | 833 | 832 | 832 | 832 | 832 | 832 | 832 | 832 | 832 | 833 | 833 | 833 | 834 | 834 | 834 | 835 | 835 | 836 | 836 | 841 | 841 | 841 | 841 | 841 | 841 | 841 | 840 | 840 | 839 | 839 | 838 | 838 | 838 | 837 | 837 | 837 | 837 | 833 |
| 12.5 | 824 | 823 | 823 | 822 | 823 | 822 | 822 | 823 | 823 | 824 | 824 | 824 | 825 | 825 | 826 | 827 | 827 | 827 | 834 | 833 | 834 | 834 | 834 | 834 | 834 | 833 | 831 | 832 | 832 | 831 | 831 | 830 | 830 | 829 | 829 | 828 | 828 | 824 |
| 15 | 812 | 811 | 811 | 811 | 811 | 811 | 811 | 811 | 812 | 812 | 812 | 813 | 814 | 814 | 815 | 816 | 816 | 817 | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 823 | 822 | 822 | 822 | 821 | 821 | 820 | 819 | 818 | 818 | 818 | 817 | 812 |
| 17.5 | 799 | 798 | 798 | 798 | 798 | 797 | 797 | 798 | 798 | 799 | 799 | 800 | 801 | 802 | 802 | 803 | 804 | 804 | 812 | 812 | 812 | 812 | 813 | 812 | 811 | 811 | 810 | 810 | 809 | 809 | 808 | 807 | 806 | 806 | 805 | 805 | 799 | |
| 20 | 784 | 783 | 783 | 783 | 782 | 783 | 783 | 784 | 784 | 785 | 785 | 785 | 787 | 787 | 788 | 790 | 790 | 791 | 799 | 799 | 800 | 799 | 800 | 799 | 798 | 798 | 798 | 797 | 796 | 795 | 794 | 793 | 793 | 791 | 792 | 791 | 784 | |
| 22.5 | 768 | 766 | 767 | 766 | 767 | 766 | 767 | 767 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 775 | 785 | 785 | 785 | 785 | 785 | 785 | 784 | 784 | 782 | 782 | 781 | 780 | 779 | 778 | 778 | 776 | 776 | 776 | 768 | |
| 25 | 749 | 748 | 748 | 748 | 748 | 749 | 748 | 749 | 749 | 750 | 751 | 752 | 754 | 754 | 755 | 756 | 757 | 758 | 768 | 769 | 769 | 769 | 769 | 768 | 767 | 767 | 766 | 765 | 764 | 763 | 762 | 762 | 760 | 760 | 759 | 758 | 749 | |
| 27.5 | 729 | 728 | 728 | 728 | 729 | 728 | 729 | 729 | 730 | 731 | 732 | 734 | 734 | 736 | 737 | 738 | 739 | 750 | 750 | 750 | 751 | 750 | 750 | 750 | 748 | 748 | 747 | 746 | 745 | 744 | 743 | 742 | 741 | 740 | 740 | 729 | | |
| 30 | 708 | 707 | 707 | 708 | 707 | 708 | 708 | 708 | 710 | 711 | 711 | 713 | 714 | 716 | 717 | 718 | 719 | 730 | 731 | 731 | 731 | 730 | 730 | 730 | 728 | 727 | 726 | 725 | 724 | 723 | 722 | 721 | 720 | 719 | 719 | 708 | | |
| 32.5 | 685 | 685 | 685 | 684 | 685 | 685 | 685 | 687 | 686 | 687 | 688 | 690 | 691 | 692 | 694 | 695 | 696 | 697 | 709 | 710 | 709 | 709 | 709 | 708 | 708 | 707 | 706 | 705 | 704 | 702 | 701 | 700 | 699 | 699 | 697 | 697 | 685 | |
| 35 | 661 | 661 | 661 | 661 | 661 | 661 | 662 | 662 | 663 | 664 | 665 | 666 | 667 | 670 | 670 | 672 | 672 | 674 | 686 | 687 | 687 | 687 | 687 | 686 | 686 | 685 | 685 | 684 | 682 | 681 | 680 | 678 | 677 | 676 | 675 | 674 | 661 | |
| 37.5 | 637 | 636 | 636 | 636 | 636 | 637 | 636 | 637 | 638 | 639 | 640 | 641 | 643 | 644 | 645 | 647 | 647 | 649 | 662 | 663 | 664 | 664 | 663 | 662 | 662 | 661 | 660 | 658 | 657 | 656 | 654 | 653 | 652 | 651 | 650 | 649 | 637 | |
| 40 | 611 | 610 | 610 | 610 | 610 | 610 | 610 | 611 | 612 | 613 | 614 | 616 | 617 | 619 | 620 | 622 | 622 | 623 | 637 | 638 | 638 | 639 | 638 | 637 | 637 | 635 | 634 | 633 | 632 | 631 | 629 | 628 | 627 | 626 | 624 | 623 | 611 | |
| 42.5 | 583 | 583 | 583 | 583 | 583 | 583 | 584 | 584 | 586 | 587 | 587 | 589 | 590 | 592 | 593 | 595 | 596 | 597 | 611 | 612 | 612 | 612 | 612 | 611 | 610 | 609 | 608 | 607 | 605 | 603 | 603 | 601 | 600 | 599 | 598 | 597 | 583 | |
| 45 | 555 | 555 | 555 | 555 | 555 | 555 | 556 | 557 | 558 | 559 | 560 | 561 | 563 | 564 | 566 | 567 | 569 | 569 | 584 | 585 | 585 | 584 | 585 | 584 | 583 | 582 | 581 | 580 | 578 | 577 | 574 | 574 | 572 | 570 | 569 | 570 | 555 | |
| 47.5 | 527 | 527 | 526 | 526 | 526 | 527 | 528 | 528 | 528 | 530 | 532 | 533 | 534 | 536 | 537 | 538 | 540 | 541 | 556 | 557 | 557 | 557 | 556 | 555 | 555 | 554 | 552 | 551 | 550 | 549 | 547 | 546 | 543 | 542 | 541 | 527 | | |
| 50 | 496 | 496 | 496 | 496 | 496 | 497 | 498 | 498 | 499 | 500 | 501 | 503 | 504 | 506 | 508 | 509 | 510 | 511 | 527 | 528 | 528 | 528 | 527 | 527 | 526 | 525 | 523 | 522 | 521 | 519 | 516 | 516 | 514 | 513 | 512 | 496 | | |
| 52.5 | 466 | 465 | 465 | 465 | 465 | 466 | 467 | 467 | 468 | 470 | 471 | 472 | 474 | 476 | 478 | 479 | 480 | 481 | 497 | 498 | 497 | 497 | 497 | 496 | 495 | 494 | 492 | 492 | 490 | 488 | 486 | 485 | 483 | 482 | 482 | 480 | 466 | |
| 55 | 435 | 435 | 434 | 434 | 435 | 435 | 436 | 437 | 438 | 440 | 440 | 442 | 444 | 446 | 447 | 448 | 450 | 450 | 466 | 467 | 466 | 467 | 466 | 465 | 465 | 464 | 462 | 461 | 459 | 457 | 456 | 453 | 453 | 452 | 451 | 449 | 435 | |
| 57.5 | 404 | 403 | 404 | 403 | 403 | 404 | 405 | 406 | 407 | 408 | 410 | 411 | 413 | 415 | 416 | 417 | 418 | 419 | 436 | 436 | 436 | 436 | 435 | 435 | 433 | 432 | 431 | 430 | 427 | 426 | 425 | 423 | 422 | 421 | 419 | 419 | 404 | |
| 60 | 371 | 372 | 371 | 372 | 372 | 373 | 374 | 375 | 375 | 376 | 378 | 380 | 381 | 382 | 384 | 385 | 386 | 388 | 404 | 404 | 405 | 404 | 402 | 403 | 402 | 400 | 399 | 397 | 396 | 395 | 393 | 391 | 390 | 389 | 388 | 387 | 371 | |
| 62.5 | 340 | 340 | 339 | 340 | 340 | 340 | 342 | 343 | 344 | 344 | 346 | 348 | 350 | 351 | 352 | 354 | 355 | 356 | 372 | 371 | 372 | 371 | 371 | 370 | 369 | 367 | 366 | 365 | 363 | 362 | 361 | 359 | 358 | 357 | 355 | 355 | 340 | |
| 65 | 308 | 307 | 307 | 308 | 309 | 308 | 309 | 311 | 312 | 313 | 314 | 315 | 317 | 318 | 320 | 321 | 322 | 324 | 339 | 340 | 339 | 339 | 338 | 337 | 338 | 336 | 334 | 333 | 331 | 330 | 328 | 327 | 325 | 324 | 323 | 323 | 308 | |
| 67.5 | 276 | 274 | 275 | 275 | 276 | 276 | 277 | 278 | 279 | 281 | 283 | 283 | 285 | 287 | 287 | 289 | 290 | 291 | 306 | 307 | 306 | 307 | 306 | 304 | 304 | 303 | 302 | 300 | 298 | 297 | 295 | 294 | 293 | 291 | 291 | 290 | 276 | |
| 70 | 242 | 242 | 243 | 243 | 243 | 244 | 245 | 246 | 247 | 248 | 250 | 251 | 252 | 254 | 254 | 256 | 257 | 258 | 274 | 275 | 274 | 274 | 273 | 272 | 271 | 270 | 269 | 267 | 265 | 264 | 263 | 262 | 259 | 258 | 258 | 257 | 242 | |
| 72.5 | 210 | 210 | 210 | 210 | 210 | 212 | 214 | 214 | 215 | 216 | 217 | 219 | 220 | 221 | 222 | 224 | 224 | 226 | 241 | 241 | 241 | 241 | 240 | 240 | 239 | 236 | 235 | 233 | 233 | 231 | 230 | 228 | 227 | 226 | 225 | 224 | 210 | |
| 75 | 177 | 178 | 177 | 178 | 179 | 179 | 180 | 181 | 182 | 184 | 185 | 186 | 188 | 189 | 191 | 192 | 192 | 193 | 208 | 208 | 208 | 208 | 207 | 206 | 206 | 203 | 202 | 201 | 199 | 198 | 196 | 195 | 194 | 193 | 192 | 192 | 177 | |
| 77.5 | 145 | 146 | 145 | 145 | 147 | 147 | 148 | 150 | 150 | 152 | 153 | 154 | 156 | 157 | 158 | 159 | 161 | 161 | 176 | 175 | 175 | 175 | 174 | 172 | 172 | 171 | 170 | 168 | 167 | 165 | 163 | 162 | 162 | 161 | 159 | 158 | 145 | |
| 80 | 112 | 113 | 113 | 113 | 114 | 116 | 116 | 117 | 118 | 119 | 121 | 122 | 124 | 125 | 126 | 126 | 128 | 128 | 143 | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 150 | 101 | 101 | 103 | 102 | 99 | 100 | 98 | 95 | 93 | 95 | 95 | 96 | 97 | 99 | 103 | 106 | 106 | 105 | 105 | 107 | 109 | 109 | 108 | 108 | 108 | 108 | 106 | 104 | 104 | 105 | 106 | 107 | 107 | 107 | 107 | 105 | 101 |
| 152.5 | 103 | 103 | 105 | 105 | 103 | 103 | 101 | 97 | 95 | 95 | 96 | 99 | 101 | 104 | 108 | 110 | 109 | 108 | 106 | 108 | 111 | 111 | 112 | 111 | 109 | 108 | 106 | 105 | 104 | 106 | 108 | 109 | 109 | 108 | 108 | 106 | 103 |
| 155 | 106 | 106 | 108 | 108 | 106 | 106 | 104 | 99 | 97 | 97 | 99 | 102 | 104 | 109 | 112 | 114 | 113 | 112 | 108 | 111 | 114 | 115 | 115 | 114 | 112 | 110 | 107 | 105 | 105 | 108 | 111 | 111 | 112 | 111 | 110 | 109 | 106 |
| 157.5 | 109 | 110 | 110 | 110 | 109 | 109 | 107 | 102 | 98 | 99 | 101 | 104 | 108 | 112 | 117 | 116 | 115 | 114 | 111 | 115 | 116 | 118 | 118 | 117 | 114 | 111 | 108 | 107 | 106 | 109 | 113 | 114 | 114 | 114 | 113 | 112 | 109 |
| 160 | 113 | 113 | 112 | 111 | 111 | 112 | 110 | 104 | 101 | 103 | 106 | 107 | 111 | 116 | 118 | 117 | 116 | 116 | 114 | 117 | 118 | 120 | 121 | 119 | 115 | 112 | 110 | 108 | 108 | 111 | 115 | 116 | 116 | 116 | 115 | 115 | 113 |
| 162.5 | 116 | 116 | 115 | 114 | 114 | 115 | 114 | 109 | 106 | 108 | 110 | 111 | 115 | 118 | 119 | 118 | 116 | 117 | 116 | 119 | 119 | 121 | 123 | 122 | 116 | 113 | 112 | 111 | 111 | 114 | 117 | 119 | 118 | 118 | 117 | 117 | 116 |
| 165 | 118 | 117 | 116 | 116 | 116 | 117 | 116 | 112 | 111 | 113 | 113 | 113 | 115 | 117 | 118 | 117 | 116 | 117 | 117 | 119 | 119 | 121 | 123 | 122 | 117 | 114 | 113 | 113 | 113 | 115 | 119 | 120 | 120 | 119 | 119 | 118 | 118 |
| 167.5 | 117 | 116 | 115 | 116 | 116 | 116 | 114 | 112 | 112 | 113 | 113 | 111 | 113 | 115 | 115 | 114 | 115 | 115 | 115 | 117 | 118 | 120 | 120 | 120 | 117 | 115 | 114 | 114 | 114 | 116 | 119 | 120 | 119 | 119 | 119 | 118 | 117 |
| 170 | 114 | 114 | 113 | 113 | 113 | 113 | 112 | 111 | 110 | 111 | 111 | 108 | 109 | 111 | 111 | 111 | 111 | 111 | 112 | 113 | 115 | 115 | 116 | 116 | 115 | 113 | 113 | 114 | 114 | 115 | 118 | 118 | 117 | 117 | 116 | 115 | 114 |
| 172.5 | 110 | 109 | 109 | 110 | 110 | 110 | 110 | 109 | 108 | 109 | 108 | 106 | 107 | 108 | 108 | 108 | 108 | 107 | 107 | 108 | 110 | 111 | 112 | 113 | 113 | 111 | 112 | 113 | 112 | 113 | 115 | 115 | 114 | 114 | 113 | 112 | 110 |
| 175 | 106 | 106 | 107 | 107 | 108 | 108 | 109 | 107 | 107 | 108 | 107 | 105 | 106 | 107 | 106 | 105 | 105 | 105 | 104 | 106 | 107 | 108 | 109 | 111 | 111 | 109 | 110 | 111 | 110 | 111 | 112 | 112 | 111 | 111 | 110 | 108 | 106 |
| 177.5 | 104 | 103 | 104 | 105 | 106 | 107 | 107 | 107 | 106 | 108 | 106 | 105 | 106 | 106 | 105 | 104 | 104 | 104 | 103 | 104 | 105 | 106 | 107 | 109 | 110 | 109 | 109 | 110 | 109 | 109 | 110 | 109 | 108 | 107 | 107 | 106 | 104 |
| 180 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 |

Continued.....

Photometric Testing Information

The sample was evaluated for photometric and electrical characteristics using an integrating sphere and a goniophotometer, each located in purpose-built, temperature and humidity-controlled, draft free environments.

The integrating sphere is by Labsphere which exhibits a “ 4π geometry” configuration according to IES LM-79-08 and is applicable for all types of LED products (directional and non-directional light projections). Its spectroradiometer is an array-type detector manufactured and calibrated by Labsphere.

The integrating sphere uses self-absorption correction to eliminate errors due to mismatches between the standard reference lamp and the test samples being measured. The auxiliary lamp used to perform this task is a halogen type lamp powered by a calibrated *Lamp Power Supply* manufactured and calibrated by Labsphere. Ambient temperature (for photometric analysis) is measured using a “J-Type” thermocouple located inside the integrating sphere at the same height as the sample under test and not more than 1 meter in horizontal distance away from the sample. The thermocouple is located behind the baffle of the photo detector in order to eliminate any direct optical radiation from the sample under test.

Luminaire Stabilization.

The sample was placed inside the integrating sphere and powered by a regulated and conditioned Voltage alternating current supply. The correlated color temperature, color rendering index, chromaticity coordinates and electrical power measurements contained in this report are the numeric **averages** of the three readings upon which stabilization is verified. The stabilization times shown on the results pages of this report denote the time of the 1st measurement (of the 3 consecutive readings) since this is the minimum time that the sample is assumed to have taken to reach stabilization.

The integrating sphere is calibrated using a quartzline halogen lamp with the following specifications:

Manufacturer: Sylvania

Model# 75Q/CL-28V

Voltage = 28.0 Volt

Wattage = 75.0 Watts

Calibration Current = 2.679 Amperes

Luminous Flux = 1538.8 Lumens

Calibration Date = 8-18-2005 (calibrated by Labsphere – NIST traceable).

Continued.....

Photometric Testing Information (continued)

The goniophotometer Mayer Engineering Type C is calibrated using a frosted tungsten filament FDS/DZE lamp with the following specifications:

Manufacturer: GE
Part Number: DZE 88
Bulb Number: 114-A
Voltage: 16.59 Volts DC reference
Calibration Current: 4.810 Amperes
Luminous Intensity: 154.7 Candelas
Calibration Date: 7/12/12 (NIST traceable)

Manufacturer: GE
Part Number: DZE 88
Bulb Number: 114-B
Voltage: 16.61 Volts DC reference
Calibration Current: 4.819 Amperes
Luminous Intensity: 150.6 Candelas
Calibration Date: 7/12/12(NIST traceable)

Manufacturer: GE
Part Number: DZE 88
Bulb Number: 114-C
Voltage: 16.66 Volts DC reference
Calibration Current: 4.815 Amperes
Luminous Intensity: 155.4 Candelas
Calibration Date: 7/12/12 (NIST traceable)

A *Yokogawa WT210 Power Analyzer* was used to measure all electrical characteristics of the sample.

CSA is an accredited Test Laboratory (TL-430)
to IESNA LM79-08 by IAS (International Accreditation
Service)
National Voluntary Laboratory Accreditation Program
(NVLAP)200732-0

| Equipment List: Goniophotometer Type C (Mirror 1) | | | |
|--|--------------------------------------|--|-----------------------------|
| Description | Manufacturer and Model Number | CSA Instrument Reference Number | Calibration Due Date |
| Optometer | Gigahertz Optik P9801 | N/A | N/A |
| Regulated Power Supply | Chroma Instruments 61602P-80-60 | DCP401 | N/A |
| Regulated Power Supply | Chroma Instruments 61602 | DCP301 | N/A |
| Power Analyzer | Yokogawa WT210 | POA400 | 11/2014 |
| Equipment List: Sphere D Equipment | | | |
| Description | Manufacturer and Model Number | CSA Instrument Reference Number | Calibration Due Date |
| Integrating Sphere 109" | Labsphere LMS760 | SPH400 | N/A |
| Spectroradiometer | Labsphere CDS1100 | N/A | N/A |
| Auxiliary Lamp PSU | Labsphere LPS100 | LPS100 | N/A |
| Power Analyzer | Yokogawa WT210 | PA111 | 1/2014 |
| Regulated Power Supply | Chroma Instruments 61603 | N/A | N/A |

All equipment is calibrated to ISO / IEC 17025-2005 guidelines.