

CASPER BEAM

CASPER BEAM OVERVIEW



Casper Beam Cluster

STANDARD DIMENSIONS

Custom options available

24"L x 4"W x 4"H

36"L x 4"W x 4"H

48"L x 4"W x 4"H

60"L x 4"W x 4"H

72"L x 4"W x 4"H

84"L x 4"W x 4"H

96"L x 4"W x 4"H

24"L x 8"W x 8"H

36"L x 8"W x 8"H

48"L x 8"W x 8"H

60"L x 8"W x 8"H

72"L x 8"W x 8"H

84"L x 8"W x 8"H

96"L x 8"W x 8"H

MATERIALS

White Opal Chroma

Fixture price available upon request

SPECIFICATIONS

LIGHTING:

Solid State LED System

120v-277v input;
0-10v dimming compatible

3000k, 3500k or 4000k options

80 CRI light source

24"L - 17w

36"L - 27w

48"L - 40w

60"L - 46w

72"L - 56w

84"L - 66w

96"L - 74w

Total Intergrated Luminous Flux
for 34" fixture: 1635.28

HARDWARE:

Removable powder coated lid

11"L x 4.5"W canopy and dress plate mounts to
standard junction box (provided by others)

3/64" stainless steel cables to ceiling

Adjustable suspension

Power cord to canopy

STANDARDS:

4-6 week lead time

UL Compliant Parts

5 year limited warranty




Last Updated 11.13.2019

CASPER BEAM

CASPER BEAM FIXTURE OPTIONS

RENDERINGS AND DIMENSIONS


24"L x 4"W x 4"H




36"L x 4"W x 4"H




48"L x 4"W x 4"H




60"L x 4"W x 4"H




72"L x 4"W x 4"H




84"L x 4"W x 4"H



96"L x 4"W x 4"H



24"L x 8"W x 8"H




36"L x 8"W x 8"H




48"L x 8"W x 8"H




60"L x 8"W x 8"H




72"L x 8"W x 8"H



84"L x 8"W x 8"H



96"L x 8"W x 8"H



SHADE COLOR OPTIONS



White Opal Chroma

*Materials shown lit (left) and unlit (right)

*Lead times subject to change

Contact us for samples and more information



Last Updated 11.13.2019

CANOPY / DRESS PLATE FINISH OPTIONS

STANDARD



White/White

BY REQUEST




Silver/Silver



Black/Black

CEILING HARDWARE

Cables to Ceiling



CASPER BEAM

CASPER BEAM PART NUMBER SPECIFICATION

Complete form to specify Casper Beam fixture(s)

SPECIFICATION CODE *Example: 2 QTY COL-CASP-BEAM-24-4-WOC-830-STD-WP-WH*

COL-CASP-BEAM - - - - - - -

Qty. ① ② ③ ④ ⑤ ⑥ ⑦

For each number, make one selection and enter in the corresponding box above. *Indicates modified choices; additional lead times and/or costs may apply.

① SIZE

<input type="checkbox"/> 24	24" L
<input type="checkbox"/> 36	36" L
<input type="checkbox"/> 48	48" L
<input type="checkbox"/> 60	60" L
<input type="checkbox"/> 72	72" L
<input type="checkbox"/> 84	84" L
<input type="checkbox"/> 96	96" L

② HEIGHT

<input type="checkbox"/> 4	4" H
<input type="checkbox"/> 8	8" H

③ MATERIAL

<input type="checkbox"/> WOC	 WOC White Opal Chroma
-------------------------------------	--

④ LED CRI / CCT

<input type="checkbox"/> 830	830 80 CRI / 3000K
<input type="checkbox"/> 835*	835* 80 CRI / 3500K
<input type="checkbox"/> 840*	840* 80 CRI / 4000K

⑤ SUSPENSION

<input type="checkbox"/> STD	STD 12"-96"
<input type="checkbox"/> EXT*	EXT* 12"-240"

⑥ CANOPY COLOR

<input type="checkbox"/> WP	WP White
<input type="checkbox"/> BP*	BP* Black
<input type="checkbox"/> SP*	SP* Matte Silver

⑦ POWER CORD

<input type="checkbox"/> WH	WH White
<input type="checkbox"/> BK*	BK* Black

*Indicates modified choices; additional lead times and/or costs may apply.



Last Updated 11.13.2019