

STATIC

ACOUSTIC

SPECIFICATIONS



STATIC

as shown

STANDARD DIMENSIONS

Custom options available

49.5" L x 11.75" H x 4" W - 10lb

97.5" L x 11.75" H x 4" W - 18lb

END CAP TREATMENTS

Wood

Folded

Powder Coated

*Fixture price available
upon request*

47.5" Static in Nickel, Oak Wood End Caps

LIGHTING

Integrated high efficiency Philips linear LED modules

4' - 72W
8' - 144W

80 CRI, 3500K
120v-277v input

Integrated Philips Driver,
1% dimming, 0-10v control

Up to 2000 Lumens per foot of
direct and indirect lighting

HARDWARE

5" Dia white canopy with white dress plate mounts to round junction box (provided by others)

3/64" Stainless steel cables to ceiling

White power cord to canopy

Adjustable 12"-96" suspension

STANDARDS

6-8 week lead time

5 year limited warranty

NRC Rating: 1.00



4770 OHIO AVE SOUTH, SUITE A
SEATTLE, WA 98134
lightart.com

STATIC


ACOUSTIC

OPTIONS


STANDARD DIMENSIONS

CUSTOM OPTIONS AVAILABLE


49.5"L x 11.75"H x 4"W



97.5"L x 11.75"H x 4"W



Modular



CAP TREATMENT OPTIONS

NICKEL MATERIAL REPRESENTED

White powder coated standard, unless otherwise specified

WOOD

Options: Oak, Maple
*upcharge applies



FOLDED

Options: Nickel, Cast



POWDER COATED

Options: White, Black, Silver




STOCK MATERIALS

6-8 WEEK LEAD TIME

Lead times subject to change



Cast



Nickel

CANOPY/DRESS PLATE FINISH OPTIONS

STANDARD



White



Silver



Black

BY REQUEST

CABLE CONNECTION OPTION

TO CEILING STANDARD



Ceiling




4770 OHIO AVE SOUTH, SUITE A
SEATTLE, WA 98134
lightart.com

STATIC

ACOUSTIC

LAB DATA



Static | NRC = 1.00

Static has a high NRC of 1.00, allowing it to have a minimal presence with high impact on reverberation. Static can be arrayed to meet goals for total absorption added to a space.

Graph illustrates LightArt's field test results. Contact us for more detailed data.



4770 OHIO AVE SOUTH, SUITE A
SEATTLE, WA 98134
lightart.com